

# PTC

## Ürün Test ve Belgelendirme

Sanayi Ticaret Limited Şirketi  
Aydınlı Mahallesi Patlayıcı Maddeler Yolu  
Caddesi Beyoğlu Sanayi Sitesi D1 Blok No:26  
Aydınlı-Tuzla / İSTANBUL  
Tel : +90 216 393 32 32  
[www.ptctesting.com](http://www.ptctesting.com)

Test Raporu Numarası  
Test Report Number  
PTC-192001-089

Oluşturulma Tarihi  
Issue Date  
20/02/2020

Rapor Geçerlilik Tarihi  
Expiry Date of Report  
20/02/2021



Test		
<b>Pesticide (ppm)<sup>7</sup></b>		<b>Passed</b>
Sum (incl. PCP) 8a ( 55 Compounds)	0,1	<b>Passed</b>
<b>Phenols (chlorinated and OPP) [ppm]</b>		<b>Passed</b>
Pentachlorphenol (PCP)	0,02	<b>Passed</b>
2,3,5,6-Tetrachlorphenol (TeCP)	0,01	<b>Passed</b>
Orthophenylphenol (OPP)	0,2	<b>Passed</b>
<b>Organic tin compounds (ppm)</b>		<b>Passed</b>
TBT	0,02	<b>Passed</b>
DBT	0,01	<b>Passed</b>
<b>Colorants</b>		<b>Passed</b>
Cleavable arylamines <sup>8</sup>	Not Detected	<b>Passed</b>
Carcinogens <sup>8</sup>	Not Detected	<b>Passed</b>
<b>Chlorinated organic carrier (ppm)<sup>8</sup></b>	Not Detected	<b>Passed</b>
Treatment with biological active substances	Not Detected	<b>Passed</b>
Treatment with flame retardant substances	Not Detected	<b>Passed</b>
<b>General</b>		<b>Passed</b>
<b>PBB, TRIS , TEPA</b>	Not Detected	<b>Passed</b>

PTC ÜRÜN TEST ve BELGELENDİRME  
Aydınlı Mahallesi Patlayıcı Maddeler Yolu Caddesi Beyoğlu Sanayi Sitesi D1 Blok No:26  
Aydınlı-Tuzla / İSTANBUL  
Tel : +90 216 393 32 32  
[www.ptctesting.com](http://www.ptctesting.com)